

# SPACE PLANNER<sup>®</sup> fireplaces





The open hearth with the play of the flames, the flicker of the shadows has symbolized the domestic scene since time began. "My hour of inspiration," Nathaniel Hawthorne said, "comes when the log roars on the hearth."

It took a romantic Frenchman — Louis Savot — to design the first scientific fireplace in the early 1600's. Today you can enjoy all the charm and comfort of an open fire with a pre-tested Space-Planner Fireplace. Choose from six handsome models . . . there's a design for almost any room, any decor. Years of testing and use assure you a trouble-free, long-life fireplace. And one of

the nicest things about the craftsman-built Space-Planner is its utter ease of installation. The Space Planner sets a mood of relaxation for you and your family . . . and for friends who come to enjoy your open-hearth hospitality. Somehow there's a bit of old world graciousness about watching a wood fire. The soft glow of red coal under gathering white ash encourages quiet conversation . . . and turns the room into a place of enchantment. Let the Space-Planner woodburning fireplace bring a new dimension of warmth and enjoyment to your home! It costs so little for such rich dividends.







I.C.B.O. (Uniform Building Code)  
Approved.


Report No. 1692.1

## MODEL F the Granada • Space-Planner® fireplace

The Granada is a free standing fireplace that will be the focal point wherever installed. The lines blend with both contemporary or traditional surroundings . . . giving an immediate feeling of "belonging."

### CRAFTSMAN-BUILT FEATURES


- Comes completely assembled, simple to install.
- Heavy duty constructed jacket is 20-gauge sheet steel and fire chamber is 12-gauge plate steel.
- Outer jacket is lined with a blanket of high temperature insulation which prevents accidental burning. The resulting air space allows circulation of heat. Double baffled rear wall and fire chamber floor provides added safety.
- Fireplace can be set 4" from the rear, and 24" from the side, to combustible wall surfaces.
- Brass-framed screen and wrought iron grate are standard.
- Burns up to 20" logs.
- Size: 33" wide, 27" deep 40" high. Shipping weight about 180 lbs.
- U.L. approved all fuel factory-built chimney systems available at extra cost.
- Four decorator colors: Persimmon Red, French White, Coppertone and Satin Black. Other special colors available.



Cut-away drawing illustrates:

1. exclusive design construction
2. air circulation
3. heat radiation
4. safety features





1. A happy blend of old and new . . . special installation




2. Functional Space division . . . for quiet relaxation



4. Handsomely designed . . . for updated interiors




3. Creating a modern motif . . . warm and welcome



5. Cheer of traditional family hearth . . . with a modern flair

## Free-flowing Functional Lines







I.C.B.O. (Uniform Building Code)  
Approved.

Report No. 1692.1

## MODEL C **the Sierra • Space-Planner® fireplace**

Here's a free-standing fireplace whose every line accents carefree contemporary or traditional living. The Sierra fits snugly into just about any corner . . . or wherever the imagination dictates. Quick installation cuts construction costs and provides a fireplace for an array of situations — family room, kitchen, den, master bedroom, enclosed patio, or vacation cabin.

### CRAFTSMAN-BUILT FEATURES


- Comes completely assembled, simple to install.
- Heavy duty constructed jacket is 20-gauge sheet steel and fire chamber is 12-gauge plate steel.
- Outer jacket is lined with a blanket of high temperature insulation which prevents accidental burning. The resulting air space allows circulation of heat. Double baffled rear wall and fire chamber floor provides added safety.
- Fireplace can be set as close as 1½" from rear walls of fireplace to combustible wall surfaces.
- Brass-framed screen and wrought iron grate are standard.
- Burns up to 20" logs.
- Size: 28" square, 36½" high. Shipping weight about 175 pounds.
- U.L. approved all fuel factory-built chimney systems available at extra cost.
- Four decorator colors: Persimmon Red, French White, Coppertone and Satin Black. Other special colors available.

All models except the Tucsonan and Woodsman have a fully insulated outer jacket. The hazard of severe burns is completely eliminated. A smoke chamber and smoke shelf are integrated within the fire chamber to prevent back draft, assuring faultless operation. We strongly urge serious consideration of both features before purchasing any fireplace.


Should you be in an area where severe winds or downdrafts occur, we can still assure you of efficient operation.

Our engineering staff is available should special or unusual installation problems arise.





1. Free-standing modern... beauty without clutter




2. Contemporary... a decorator's delight — special hood and flue

## Versatile as your Imagination


4. Traditional... mellow as a maple rocker



3. Split-level... for a fresh change of pace



5. Japanese modern... a warm Oriental glow







## MODEL U **the Mayan • Space-Planner® fireplace**

Larger than the other models, the Mayan's size is especially suited to more expansive settings. It impressively fills up a corner, rescues an uninteresting wall or grandly takes its place in the center of a room. The Mayan is suited to both contemporary and traditional decor.

### CRAFTSMAN-BUILT FEATURES


- Comes completely assembled, simple to install.
- Heavy duty constructed jacket is 20-gauge sheet steel and fire chamber is 12-gauge plate steel.
- Outer jacket is lined with a blanket of high temperature insulation which prevents accidental burning. The resulting air space allows circulation of heat. Double baffled rear wall and fire chamber floor provides added safety.
- Fireplace can be set 4" from the rear, and 1½" from the side, to combustible wall surfaces.
- Brass-framed screen and wrought iron grate are standard.
- Burns up to 20" logs.
- Size: 39¼" high, 27¼" deep, 46½" wide. Shipping weight about 195 lbs.
- U.L. approved all fuel factory-built chimney systems available at extra cost.
- Four decorator colors: Persimmon Red, French White, Coppertone and Satin Black. Other special colors available.

All models except the Tucsonan and Woodsman have a fully insulated outer jacket. The hazard of severe burns is completely eliminated. A smoke chamber and smoke shelf are integrated within the fire chamber to prevent back draft, assuring faultless operation. We strongly urge serious consideration of both features before purchasing any fireplace.

Should you be in an area where severe winds or downdrafts occur, we can still assure you of efficient operation.


Our engineering staff is available should special or unusual installation problems arise.






1. Along a wall . . . to accent your decorative scheme

2. In a corner . . . charm and comfort of Early American



4. In the center . . . a welcome focal point




## The Spacious Mayan


3. A room divider . . . elegance at moderate cost



5. Tall and geometric . . . special installation







## MODEL B **the Tucsonan • Space-Planner® fireplace**

The Tucsonan is one of our economy models. It is not lined with insulation and is finished in black only, with persimmon red legs.

The Tucsonan is truly a dual purpose fireplace. As a freestanding unit it is equally at home in summer camps and vacation cottages, or in your recreation room, breezeway, or den.

The Tucsonan can produce an abundance of quick heat and offer a cheerful fire to be enjoyed by the entire family.

This unit offers a larger firebox than the other models, accommodating up to 24" logs.

Heavy gauge steel baffles and smoke shelf assure long life and highly efficient operation.

Fireplace can be set as close as 30" from rear wall of fireplace and 36" from side walls of fireplace to combustible wall surfaces.

As a unit built into non-combustible walls the home hobbyist or builder can find many ways to use the Tucsonan.

The illustration at top right shows a tile enclosure with a decorative perforated facing which presents a striking modern effect. Panel facings above fireplace must have 50% openings to allow for ventilation.

An early American motif is readily achieved with the use of a stone or used brick enclosure.

The Tucsonan is constructed of 12 and 14 gauge cold rolled steel. Legs are of 1" square tubular steel. Overall height (without legs) is 31 inches — width 33½ inches — depth 19 inches. Hearth projects an additional 6 inches. Overall height including legs is 36½ inches. Shipping weight about 130 lbs.





AIA FILE NO. 14-E-5

## MODEL W **the Woodsman • Space-Planner® fireplace**

### COMPARISON FEATURES

- Comes completely assembled, simple to install.
- Heavy duty inner jacket of 14 gauge steel with 12 gauge steel floor.
- Shaped to radiate heat.
- Smoke chamber with smoke shelf.
- Projection hearth, safe and easy to clean.
- Brass framed safety locked screen.
- Screen has legs and will stand unsupported when removed from fireplace.
- Sturdy steel twin base supports with leveling devices.
- Burns up to 20" logs.
- Fireplace can be set as close as 24" from rear wall of fireplace and 36" from side walls of fireplace to combustible wall surfaces.

The WOODSMAN free standing fireplace was designed with the vacation house, hunting lodge, or recreation room in mind.

The WOODSMAN has a similar fire chamber of our most popular and time-proven GRANADA model. The one piece smoke shelf and rear wall baffle assures highly efficient operation.

Heats both by radiation and convection, making it considerably more efficient than a conventional masonry fireplace.

Finished in top quality, heat-resistant, matte black finish. Size 37" high, 33½" wide, 23" deep. Shipping weight about 110 lbs.

The brass framed screen supplied with the fireplace has a minimum overlap of ½", providing the best possible protection from flying sparks. An additional safety feature is a positive screen lock, eliminating the danger of logs rolling forward onto the floor.





Sandy Rosenthal Interiors

I.C.B.O. (Uniform Building Code)  
Approved.

Report No. 1692.1


## MODEL D **the El Dorado • Space-Planner®** fireplace

The El Dorado is a prefabricated metal fireplace designed to be built into combustible walls with zero clearance. It offers the ultimate in flexibility and blends well with contemporary as well as traditional surroundings. The El Dorado is highly efficient. An insulated outer jacket surrounds the inner fire chamber spaced sufficiently away from it to create a large area for circulating air. Cool air is drawn in at the lower grill near the floor and is expelled from the upper grill at a higher temperature.

- The El Dorado arrives at the site completely assembled in two sections (fireplace and face trim), which are easily installed.
- Heats by radiation, convection, and circulation.
- Shipping weight about 270 lbs.
- Brass framed screen and grate standard with fireplace.
- Screen has legs and will stand unsupported when removed from fireplace.
- Burns up to 20 inch logs.
- Four decorator colors: Persimmon Red, French White, Coppertone, and Satin Black. Other colors available at slight additional cost.







#### GENERAL INSTALLATION NOTES.

The El Dorado fireplace can be set in any prepared opening of 3'-6" wide, 1'-8½" deep, and 3'-8½" high. The height of the fireplace to be determined from top of hearth (see installation drawings).


Fireplace installed to floor with 2 clips supplied with fireplace. Face trim nailed or screwed to studs.

U.L. Approved all fuel chimney systems to be installed from top of fireplace. Customer to specify manufacturer of chimney system to be used with El Dorado Fireplace.


Average installation time for fireplace, face frame, and chimney system into prepared openings should be approximately 20 minutes.

Maximum height of chimney system to be installed on fireplace is 22'-0". For heights exceeding 22' use support assemblies of manufacturer of chimney system.






MODEL F **the Granada .**




MODEL U **the Mayan .**




MODEL C **the Sierra .**




Overall dimension drawings diagrammatic... send for installation instructions.



MODEL D **the El Dorado** •



MODEL B **the Tucsonan** •



MODEL W **the Woodsman** •



## Space-Planner® fireplaces

MODEL W	Woodsman .....	\$117.00
MODEL B	Tucsonan .....	\$158.00
MODEL F	Granada .....	\$235.00
MODEL C	Sierra .....	\$255.00
MODEL U	Mayan .....	\$275.00
MODEL D	El Dorado .....	\$280.00

Above prices include interior ceiling cover plate, solid brass framed firescreen, heavy duty wrought iron log grate, and fireplace in Semi-Gloss Matte Black Finish. Models B & W are available in black only.

Two - 36" Black Interior Flue Sections are normally required for the average free standing fireplace installation and can be shipped with each fireplace unit at the following additional costs:

Lower Flue Section with Damper	\$6.75
Upper Flue Section	\$5.25

French White, Persimmon Red, and Coppertone colors available at \$7.00 per unit additional cost.

For special colors add \$20.00 per unit.

All prices F.O.B. Tucson, Arizona - subject to change without notice.



Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Alan O'Bright



## CHIMNEY INFORMATION FOR SPACE-PLANNER® FREE STANDING FIREPLACES

Space-Planner® free standing fireplaces can utilize any of several nationally distributed U.L. approved all fuel chimney systems. Metalbestos Co., Dura-Vent Corp., and Ameri-Vent Inc., manufacture highly efficient chimney systems, available in most parts of the United States. If not obtainable in your area, shipment of chimney parts from Tucson, Arizona, can be arranged.

## TERMINOLOGY:

FLUE PIPE, OF FLUE SECTION refers only to the painted pipes that connect the fireplace to the chimney pipe: (See fireplace price schedule)

CHIMNEY PIPE refers to the U.L. approved all fuel pipe beginning at the ceiling level.

CHIMNEY HOUSING refers to a 16" square jacket that encloses the chimney pipe above the roof of the house. See manufacturers literature for further information and prices.

STANDARD CHIMNEY KIT: For normal installations through a roof of moderate pitch where no attic exists, the following kit is adequate for free standing fireplace installation.

## CHIMNEY KIT (Round Chimney)

1 - #7DCS-1	Support Assembly .....	6.70
1 - #7DCD-1-3	36" Chimney Pipe .....	22.50
1 - #7DC-RF	Roof Flashing.....	7.68
1 - #7DC-SC	Storm Collar.....	1.43
1 - #7DCC	Chimney Top.....	9.00
TOTAL PRICE FOR KIT.....		<u>47.31</u>

ATTIC INSTALLATIONS: For chimneys passing through an attic, use additional chimney pipe sections as required.

#7DCP-1-5	60" Section	37.50	each
#7DCP-1-3	36" Section	22.50	each
#7DCP-1-30	30" Section	18.75	each
#7DCP-1-24	24" Section	15.00	each
#7DCP-1-18	18" Section	11.25	each


EL DORADO FIREPLACE: See installation instructions for chimney system requirements.

CHIMNEY HEIGHT REQUIREMENTS: Chimney shall extend at least 3'-0" above the part of the roof through which it passes and at least 2'-0" above the highest elevation of any part of the building within 10'-0" of the chimney.

SPECIAL REQUIREMENTS: Check manufacturers chimney sheets for additional parts and information.

PRICES: Prices subject to change by manufacturer without notice.









SPACE PLANNER<sup>®</sup>  
fireplaces

